



ENPROTEC PROJECT DATA

4465 Limaburg Road • Hebron, KY 41048-9704 (859) 689-4300 Fax: (859) 689-4322

CUSTOMER INFORMATION

COMPANY NAME _____

DATE _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

CONTACT NAME _____ TITLE _____ PHONE EXT _____

CONTACT NAME _____ TITLE _____ PHONE EXT _____

PHONE (_____) _____ FAX (_____) _____

EMAIL _____

WASTEWATER FLOW RATE: _____ GPM _____ GPD or _____ GAL. PER BATCH

MAXIMUM PEAK FLOW, GPM _____ FOR _____ MINUTES DURATION

MINIMUM FLOW, GPM _____ FOR _____ MINUTES DURATION

DESCRIPTION OF PROCESS GENERATING WASTEWATER, HOW PRODUCED, WHAT IS DONE NOW, ETC.

GENERAL DESCRIPTION: _____ OILS _____ HEAVY METALS _____ SUSPENDED SOLIDS
_____ TTO _____ VOC _____ BOD _____ COD _____ SLUDGES _____ pH
_____ PROCESS WASTES _____ GROUNDWATER _____ POTABLE WATER
_____ OTHER

PLANT OPERATION: _____ HOURS PER DAY _____ DAYS PER WEEK

WASTEWATER GENERATED: _____ HOURS PER DAY _____ DAYS PER WEEK

PLEASE ATTACH ANY CURRENT ANALYSES, TREATABILITY TEST RESULTS OR OTHER DATA.

**TREATMENT REGULATIONS AND OBJECTIVES
INSERT VALUES AS PPM (MG/L) OR PPB (SPECIFY)**

COMPONENT	YOUR RAW, UNTREATED WASTE			YOUR PERMIT LIMIT
	MIN. CONC.	MAX. CONC.	AVG. CONC.	
pH	_____	_____	_____	_____
BOD	_____	_____	_____	_____
COD	_____	_____	_____	_____
OIL & GREASE	_____	_____	_____	_____
SUSPENDED SOLIDS	_____	_____	_____	_____
ZINC	_____	_____	_____	_____
COPPER	_____	_____	_____	_____
NICKEL	_____	_____	_____	_____
CHROME (TOTAL)	_____	_____	_____	_____
CHROME (HEX.)	_____	_____	_____	_____
LEAD	_____	_____	_____	_____
CADMIUM	_____	_____	_____	_____
IRON	_____	_____	_____	_____
MANGANESE	_____	_____	_____	_____
HARDNESS	_____	_____	_____	_____
CALCIUM	_____	_____	_____	_____
TEMPERATURE, F.	_____	_____	_____	_____
OTHER	_____	_____	_____	_____
OTHER	_____	_____	_____	_____

ARE ANY OF THE FOLLOWING PRESENT? _____ SOAPS _____ DETERGENTS _____ FATTY ACIDS
 _____ FOAMERS _____ AMMONIA _____ CHELATORS _____ OTHER SEQUESTERANTS

DESCRIBE ANY OTHER CONSTITUENTS WHICH MAY BE OF INTEREST:

BELOW PLEASE DRAW A SIMPLE FLOW DIAGRAM SHOWING THE PRESENT WASTEWATER FLOW. SHOW WHAT IS ABOVE AND BELOW GRADE, EXISTING TANKS AND CAPACITIES, SUMPS, PUMPS, ETC.

PLEASE COMPLETE THE FOLLOWING FOR SENDING TEST SAMPLES TO ENPROTEC TREATABILITY LABORATORY:

DO NOT SEND SAMPLES TO ENPROTEC WITHOUT FIRST OBTAINING AUTHORIZATION FROM ENPROTEC.

HOW WAS THE SAMPLE COLLECTED, I.E. COMPOSITE SAMPLER, GRAB, PLEASE DESCRIBE:

PLEASE INCLUDE MSDS SHEETS AND ANY ANALYSES AVAILABLE ON THE SAMPLE

CORROSIVE _____ FLAMMABLE _____ TOXIC _____ OIL
CONTENT _____

OTHER _____

*******GENERAL INSTRUCTIONS*******

PLEASE COMPLETE THE PREVIOUS PAGES WITH ALL AVAILABLE INFORMATION AND RETURN WITH THE SAMPLE(S) SUBMITTED TO ENPROTEC. THE INFORMATION REQUESTED IS REQUIRED TO BE ABLE TO PROPERLY EVALUATE THE SAMPLES AND SELECT THE PROPER CHEMICALS AND TREATMENT PROCESS. ALL INFORMATION PROVIDED WILL BE HELD IN STRICT CONFIDENCE. ALL DATA FURNISHED BY ENPROTEC AS A RESULT OF THIS TREATABILITY STUDY IS TO BE CONSIDERED PROPRIETARY AND CANNOT BE COPIED NOR DISTRIBUTED WITHOUT WRITTEN CONSENT FROM ENPROTEC.

IF THERE ARE ANY QUESTIONS PLEASE CONTACT ENPROTEC OR OUR REPRESENTATIVE.

*******SHIPPING INSTRUCTIONS*******

1. FAX THIS FORM TO ENPROTEC PRIOR TO SHIPMENT OF SAMPLE
2. OBTAIN SHIPPING AUTHORIZATION NUMBER (SA#) FROM ENPROTEC
3. SHIPPING CONTAINER MUST BE CLEARLY MARKED WITH SA# OR IT WILL NOT BE ACCEPTED
4. PLEASE INCLUDE MSDS SHEETS AND ANY ANALYSES AVAILABLE ON THE SAMPLE

NO SAMPLES WILL BE OPENED NOR TESTED WITHOUT SUBMITTING MSDS SHEETS AND COMPLETING THIS FORM AS THOROUGHLY AS POSSIBLE.

5. SHIP A MAXIMUM 3 GALLON, MINIMUM 1.5 GALLON, FREIGHT PREPAID, SAMPLE TO ENPROTEC. YOU WILL BE ADVISED IF MORE SAMPLE IS REQUIRED FOR FURTHER TESTING.

SHIP SAMPLE TO: ENPROTEC
4465 LIMABURG ROAD
HEBRON, KENTUCKY 41048-9704
PHONE 859-689-4300
FAX 859-689-4322

ATTN: TREATABILITY LABORATORY

Samples classified as HAZARDOUS WASTES ARE EXEMPT FROM RCRA REGULATIONS under 40 CFR Part 261.4. Please ship these types of samples in accordance with EPA and/or DOT transportation regulations.

MAKE SURE THAT THE SAMPLE SUBMITTED TO ENPROTEC FOR TESTING IS CAREFULLY COLLECTED AND IS REPRESENTATIVE OF THE MATERIAL THAT THE SYSTEM WILL BE DESIGNED TO TREAT.

IF MORE THAN ONE SAMPLE IS SUBMITTED, PLEASE COMPLETE A FORM FOR EACH SAMPLE. FAILURE TO SUBMIT A FORM WILL RESULT IN TESTING DELAYS.

IF THE SAMPLE IS A BIOLOGICAL TYPE SAMPLE, PRIOR ARRANGEMENTS MUST BE MADE WITH ENPROTEC SO THAT THE TESTING CAN BE PERFORMED IMMEDIATELY UPON RECEIPT OF THE SAMPLE AND SPECIAL PACKAGING (REFRIGERATION) OR PRESERVATION MAY BE REQUIRED. PLEASE CALL TO ARRANGE A DATE FOR TESTING AND SHIPMENT.

EPT REP: _____ EPT PROJ. NO. _____

VISIT ENPROTEC ON THE WEB AT: [HTTP://WWW.ENPROTEC-USA.COM](http://www.enprotec-usa.com), E-MAIL: EPT@ENPROTEC-USA.COM